



ISO 9001 : 2015

OT Pendant



OT / ICU SURGICAL PENDANT

Digiline Systems offering a wide variety of premium quality OT Pendants that are available in fixed type and moveable. That includes ICU Swivel Pendants, Single arm Pendant, Double arm Pendant, Laparoscopy Pendant, and Anaesthesia Pendant. Our products are available in varied specifications that meet on customer's demand.

We offer you a complete range of OT Pendants that can be the helping arm for the surgeons during the surgeries, intensive care treatments, endoscopies, anaesthesia as well as the diagnostic applications.

FEATURES :


- Modular design allows flexibility.
- Surface electrostatic powder coating.
- Prevent corrosion.
- Easy to clean.
- The movable arm system allows it to be positioned at precisely where it is most convenient for the anaesthetist.
- Elegant and innovative design that allows easy handling of the column made of high strength aluminum alloy.

DIGILINE

Double Arm Surgical Pendant

Double arm surgical pendant have two arms. Each arm length of 900X900 Mm length. The arm could be swivel around each joint by 330 Degree It should be able to hold a weight of 150 kg.

- ◆ Distributor head / console are modular of length of 800 mm and capable of accepting a range of shelves 2nos 1 fixed and the other adjustable.
- ◆ Distributor head / console have upto 8 universal electrical sockets connectors have 2* infusion pole
- ◆ The ceiling mounted surgical pendant should meet with safety accordance to ce & iso certified
- ◆ Baring hosing set is made of double barings with six gas outlets



SPECIFICATION

CONSOLE LENGTH	700MM/800MM
CONSOLE DIMENSION	284X284MM
ARM LENGTH	900MM EACH
ARM ROTATION	330 DEGREE
CONSOLE ROTATION	330 DEGREE
WEIGHT CARRYING CAPACITY	120-150KG
ELECTRICAL LEGRAND MAKE	6/16A- 8NOS
GAS OUTLETS	6 NOS STANDARD (Oxygen- 2 , vacuum- 2, Air 4 bar- 1, Nitrous -1)
EQUIPMENT TRAY	2 NOS(1-FIXED And 1-SLIDE)
INFUSION POLE DRIP STAND	2 NOS
ALUMINIUM EXTRUDED	✓
POWDER COATED	✓

Single Arm Surgical Pendant



SINGLE ARM SURGICAL PENDANT

SPECIFICATION	
CONSOLE LENGTH	700MM/800MM
CONSOLE DIMENSION	284X284MM
ARM LENGTH	900MM EACH
ARM ROTATION	330 DEGREE
CONSOLE ROTATION	330 DEGREE
WEIGHT CARRYING CAPACITY	120-150KG
ELECTRICAL LEGRAND MAKE	6/16A- 8NOS
GAS OUTLETS	6 NOS STANDARD (Oxygen- 2 , Vacuum- 2, Air 4 bar- 1, Nitrous -1)
EQUIPMENT TRAY	2 NOS(1-FIXED And 1-SLIDE)
INFUSION POLE DRIP STAND	2 NOS
ALUMINIUM EXTRUDED	✓
POWDER COATED	✓

ANAESTHESIA FIX PENDANT

SPECIFICATION	
CONSOLE LENGTH	700MM/800MM
CONSOLE DIMENSION	284X284MM
CONSOLE ROTATION	330 DEGREE
WEIGHT CARRYING CAPACITY	120-125KG
ELECTRICAL LEGRAND MAKE	6/16A- 8NOS
GAS OUTLETS	6 NOS STANDARD (Oxygen- 2 , Vacuum- 2, Air 4 bar- 1, Nitrous -1)
EQUIPMENT TRAY	2 NOS(1-FIXED And 1-SLIDE)
INFUSION POLE DRIP STAND	2 NOS
ALUMINIUM EXTRUDED	✓
POWDER COATED	✓



Single Arm Laproscopy Pendant



SINGLE ARM LAPROSCOPY PENDANT

SPECIFICATION

CONSOLE LENGTH	900MM
CONSOLE DIMENSION	900X210MM
ARM LENGTH	900MM EACH
ARM ROTATION	330 DEGREE
CONSOLE ROTATION	330 DEGREE
WEIGHT CARRYING CAPACITY	100-125KG
ELECTRICAL LEGRAND MAKE	6/16A- 8NOS
GAS OUTLETS	6 NOS STANDARD (Oxygen- 2 , Vacuum- 2, Air 4 bar- 1, Nitrous -1)
EQUIPMENT TRAY	3 NOS (800x400MM)
SIDE PANEL	1200X210MM
INFUSION POLE DRIP STAND	2 NOS
ALUMINIUM EXTRUDED	✓
POWDER COATED	✓



ISO 9001 : 2015

DIGILINE SYSTEMS PVT. LTD.

The Complete Electronic Solution

Address : 38/2/15, Site-IV Industrial Area,
Sahibabad Ghaziabad - 201010 (U.P.), India

Mob : + 91 - 9999254422, E-mail : sales@digilinesystems.com

